



HAARSLEV™

Processing Technology

DRY VIBRATING SCREEN

Product brochure



HAARSLEV™
Processing Technology

DRY VIBRATING SCREEN



“

EASY REMOVAL OF FOREIGN MATTER FROM ALL KINDS OF POULTRY MEAL.

The Haarslev Dry Vibrating Screen helps you maintain the purity and commercial value of virtually all kinds of poultry meal by removing any foreign matter that might be present, such as rubber, metal and plastic from plucking operations and equipment.

APPLICABLE FOR:




- Poultry and feather meal processing setups
- Downstream from chicken feather plucking tunnels

BENEFITS

- Effective removal of foreign matter, for more reliable product quality
- Gentle product handling
- Compact, space-saving design
- Low installation and maintenance costs

MEAL DRYER EQUIPMENT



HAMMER MILL AND/OR BAGGING STATIONS

TYPE	CAPACITY (kg/h)/(lb/h)		DIMENSIONS* (mm)/(ft)						MOTOR POWER (kW)/(hp)		WEIGHT (kg)/(lb)	
			Length (L)		Height (H)		Width (W)					
HM-S-1500	1,500	3,300	2,200	55	1,650	64	700	43	2 x 0,95	2 x 1,5	460	1,015

* All statements of dimensions are approximate.

We reserve the right to alter the specifications at any time without prior notice.



HAARSLEV™

Processing Technology



PROCESS IS POTENTIAL

HEAD OFFICE

Haarslev Industries A/S · Bogensevej 85
DK-5471 Søndersø · Denmark
Telephone: +45 63 83 11 00
Email: info@haarslev.com
www.haarslev.com

GLOBAL EXPERIENCE - LOCAL PRESENCE

Please contact us or visit our website
to locate the closest sales office.