



SCREW CONVEYOR



66

VERSATILE, RELIABLE AND HYGIENIC WAY TO MOVE MATERIAL FROM ONE PROCESS STEP TO THE NEXT.

The Haarslev Screw Conveyor is specially designed to help you move material from one step to the next in your processing setup, coping easily with often-considerable height differences by operating reliably with an incline of as much as 30 degrees. This helps ensure processing continuity and higher overall outputs, by eliminating bottlenecks and "weak links" between the efficiency of individual processes.

These screw conveyors are available in stainless steel, mild steel, or a combination of the two, depending on the amounts and the type of material you need to move, as well as hygenic needs. 230, 300, 400, 500 and 600 mm screw diameters are available as standard.

These units are also available in both easy-clean and hygienic versions - the latter made entirely of stainless steel, with a self-supporting screw rotor and no wear plates.

APPLICABLE FOR:









- Wet or dry rendering processes
- Slaughterhouses
- Pet food processing
- · Fish meal processing
- Feather processing
- Pre-heating
- · Cooling by means of air or water
- Straining fats or water
- Dosing

BENEFITS


- Versatile screw conveyor that can be used in many places
- Reliable transport of material from one process to the next
- Ensures processing continuity
- Large-capacity units that support high processing output

SCREW CONVEYORS

NIVEDO41

UNIVERSAL HAARSLEV'S UNIVERSAL SCREW CONVEYOR, DESIGNED FOR STANDARD PROCESSING SETUPS

Applicable for complete carcases, raw feather, bones & waste food







PROCESS IS POTENTIAL

HEAD OFFICE

Haarslev Industries A/S · Bogensevej 85 DK-5471 Søndersø · Denmark Telephone: +45 63 83 11 00 Email: info@haarslev.com www.haarslev.com

GLOBAL EXPERIENCE - LOCAL PRESENCE

Please contact us or visit our website to locate the closest sales office.