



HAARSLEV™

Processing Technology

COMPACT BAGGING UNIT

Product brochure



HAARSLEV™

Processing Technology

COMPACT BAGGING UNIT



“

FOR PACKING MEAL IN THE BAGS.
THE MEAL THAT IS THE END RESULT
OF MANY RENDERING PROCESSES.

A Haarslev compact bagging unit is an ideal solution to effectively discard meal material to bags while keeping the meal circulated inside the bin.

A Haarslev compact bagging unit designed to handle homogenization and distribution to bags with a uniform and accurate weight. The compact bagging unit receives meal via screw conveyor or pneumatic transport. While the product is circulated by screws through the bin, it is possible to fill meal to the bags by the distributing feed screws.

The indicator has set load points that automatically stop filling bags when the load is reached. An operator presses a start button when a new bag is ready to fill. The bagging unit can fill valve bags varying from 20-40 kg with an accuracy of +/- 100 g. The compact bagging unit is designed both for land-based and ship-based fish meal plants. The compact bagging unit is applicable with sea vessels because of very accurate weighing achieved with weight compensation in correlation with the vessel movements.

The Haarslev compact bagging unit is tough and durable, designed to prevent leaks and with focus on cleanability. It is engineered to order from standard components, and can be delivered flat-packed for easy, inexpensive transport.




APPLICABLE FOR:

- Fish meal bagging
- Meat and bone meal bagging
- Pet food production
- Organic product such as corn

BENEFITS

- Circulates the meal inside the bin.
- Very accurate weighing achieved with weight compensation in correlation with vessel movement.
- Frequency control for each feed screw for accuracy.
- Air blow system for bags.
- Good control of load level inside the bin.
- Compact design.

**MEAL PRODUCT COMING FROM
HAMMERMILL**



READY FOR STORAGE

TYPE	FEED SCREWS	RECIRCULATION SCREW SIZE (mm)	BAG SIZE* (lbs)	VOLUME BIN (ft ³)	DIMENSIONS			
					Length (ft' in")	Width (ft' in")	Height (ft' in")	Weight (lb)
CBU 2000	2	Ø300	44 - 88	85,108	11' 10"	6' 1"	15' 9"	7,495
CBU 3000	3	Ø300	44 - 88	114,772	13' 8"	6' 1"	15' 9"	9,259
CBU 4000	4	Ø300	44 - 88	159,622	16' 1"	6' 1"	15' 9"	10,582
CBU 4000HD	4	Ø400	44 - 88	195,996	17' 3"	6' 9"	16' 1"	11,684

We reserve the right to alter the specifications at any time without prior notice.

* Valve bags



HAARSLEV™

Processing Technology



PROCESS IS POTENTIAL

HEAD OFFICE

Haarslev Industries A/S · Bogensevej 85
DK-5471 Sønderlø · Denmark
Telephone: +45 63 83 11 00
Email: info@haarslev.com
www.haarslev.com

GLOBAL EXPERIENCE - LOCAL PRESENCE

Please contact us or visit our website
to locate the closest sales office.